



DORNER LATIN AMERICA S. DE R.L. DE
Carretera a Nogales #5297
Nave 11 Zapopan JAL 45222
MEXICO

RFC: DLA1607089M7
WebSite: www.dorner.com

Folio Fiscal:

6285AE9A-CECE-428D-8BCF-4BC708AA1636

Certificate Serial Number:

00001000000407854755

SAT Serial Number:

00001000000505211329

Place and Date:

Zapopan JAL 30-09-2021 T00:05:58

Correo lateam@dorner.com

Tax Regime: 601

Método de pago:

PPD - Pago en parcialidades o
diferido

Form of Payment:

99 - Por definir

CFDI use:

P01 - Por definir

Factura: F-00003243

Página: 1

Fecha: 9/29/2021

Facturar a: RFC XEXX010101000

Piensa Applied Technologies S.A.
Av. Américo Vespucio 1385
Módulo 33
Quilicura SANTIGO 8730596
CHILE

Dom. embq.:

Piensa Applied Technologies S.A.
Av. Américo Vespucio 1385
Módulo 33
Quilicura SANTIGO 8730596
CHILE

Comprador: Verónica Lopetegui

PAULINA HUENCHUAL HERRERA
Correo veronica.lopetegui@patindustrial.com

O. Compra: PO2107-0872

Términos: 30 DIAS DE CREDITO

Orden: 2243

Note: If the Payment is in National Currency, the Amount of this Invoice must be settled at the Official Exchange Rate of the Federation on the date of Payment.

DOLARES

Nro. parte	Nro./descripción de parte	Clave Uni	Uni Med.	Clave SAT	Canti dad	Precio unitario	Desc.:	Import \$
22EDM10-114820A1313A5	CONV, 2200 BELT, 10in x 11ft 5 24/32in (254.0mm x 3499.1mm) END DR POS A, STD IDLER TAIL 13 PROF A & D SIDE-FULLY ADJ .8in (20.3mm) ACCUMULATOR #05 BELT, PLASTIC CLIPPER V-GUIDE TRACK AND MTG BRKTS	H87	PZ	24101700	1.00	3,769.00	942.25	2,826.75
22MBES10A-4828	MTG PKG,BTTM,STD LOAD-90° 2200,FLAT,POS A 48DR-28DRVN	H87	PZ	24101700	1.00	330.00	82.50	247.50
62M005ES423EN	GEARMOTOR,COMPACT VFD,90°,38HP,230/460V,3PH,5:1,345 RPM ,1.9/0.95 AMP	H87	PZ	24101700	1.00	593.00	148.25	444.75
39MFH12-1721F	STAND ASM, FIXED HEIGHT, 12.00in (304.8mm) WIDE 17.00in (431.8mm) TO 21.00in (533.4mm) HEIGHT WITH FEET	H87	PZ	24101700	3.00	207.00	155.25	465.75
39MB-TS	BRACE KIT,SHORT,H-STYLE STAND FOR T-SLOTTED FRAMES ONLY (2200, 3200, 5200 SERIES)	H87	PZ	24101700	3.00	83.00	62.25	186.75
721M120239D01A1	CONV,72, 12"X 2'-4.68" PROFILE 01,BELT 01 FDA ACCUM	H87	PZ	24101700	1.00	2,747.00	549.40	2,197.60



DORNER LATIN AMERICA S. DE R.L. DE
Carretera a Nogales #5297
Nave 11 Zapopan JAL 45222
MEXICO

RFC: DLA1607089M7
WebSite: www.dorner.com

Folio Fiscal:

6285AE9A-CECE-428D-8BCF-4BC708AA1636

Certificate Serial Number:

00001000000407854755

SAT Serial Number:

00001000000505211329

Place and Date:

Zapopan JAL 30-09-2021 T00:05:58

Correo lateam@dorner.com

Tax Regime: 601

Método de pago:

PPD - Pago en parcialidades o
diferido

Form of Payment:

99 - Por definir

CFDI use:

P01 - Por definir

Factura: F-00003243

Página: 2

Fecha: 9/29/2021

72MBPY12D-4822	MTG PKG,BTTM,STD LOAD-PAR 12" 7200,FLAT,POSD,48DR-22DRVN	H87	PZ	24101700	1.00	540.00	108.00	432.00
62M009PY423EN	GEARMOTOR SAN,PAR,0.12HP 230 V VFD,3PH, 9:1,167 RPM,0.50 AMP	H87	PZ	24101700	1.00	654.00	130.80	523.20
39MFH12-2024F	STAND ASSY,FIXED HEIGHT,12" WD 20" TO 24" HEIGHT WITH FEET	H87	PZ	24101700	2.00	212.00	84.80	339.20
FASR-25U	UHMW-PE SLIDE RAIL, WHITE COLOUR	H87	RL		2.00	81.10	40.55	121.65
807-2694	SCREW,SOCKET,NYLON #10- 32X1.00SMARTFLEX, 50 PIEZAS/PAQ	XKI	PQ	24101700	2.00	12.70	6.35	19.05
FATB-35	T-BOLT L=35MM, STEEL WITH ZINC PLATED, 50 PCS/PK	XKI	PQ		1.00	26.50	6.63	19.87
FALN-M8	M8 LOCK NUT, 50PCS/PK	XKI	PQ		1.00	7.30	1.83	5.47
FAFW-M8	M8 FLAT WASHER, 50PCS/PK	XKI	PQ		1.00	2.10	0.53	1.57
FAHB-M8X16	M8 X HEXAGON HEAD BOLT L=16MM	XKI	PQ		1.00	5.40	1.35	4.05
FAVBS-80V	BRACKET ASSY,VERT BEAM, 260mm (FV)	H87	PZ	24101700	4.00	40.90	40.90	122.70
FADBS-80VV	BRACKET ASSY,VERT BEAM, 260mm (FV)	H87	PZ	24101700	1.00	212.20	53.05	159.15
FATB-20	T-BOLT L=20MM, STEEL WITH ZINC PLATED, 50 PCS/PK	XKI	PQ		1.00	21.90	5.48	16.42
FASN-M8	M8 SQUARE NUT, 20X20MM, 50PCS/PK	XKI	PQ	24101700	1.00	20.20	5.05	15.15



DORNER LATIN AMERICA S. DE R.L. DE
Carretera a Nogales #5297
Nave 11 Zapopan JAL 45222
MEXICO

RFC: DLA1607089M7
WebSite: www.dorner.com

Folio Fiscal:

6285AE9A-CECE-428D-8BCF-4BC708AA1636

Certificate Serial Number:

00001000000407854755

SAT Serial Number:

00001000000505211329

Place and Date:

Zapopan JAL 30-09-2021 T00:05:58

Correo lateam@dorner.com

Tax Regime: 601

Método de pago:

PPD - Pago en parcialidades o
diferido

Form of Payment:

99 - Por definir

CFDI use:

P01 - Por definir

Factura: F-00003243

Página: 3

Fecha: 9/29/2021

851-903	IMPM,FLEXMOVE FV-260	H87	PZ	24101700	1.00	0.01	0.01	0.00
FBSB-80X80	SUPPORT BEAM, 80X80MM, 3METER/LENGTH	H87	PZ		1.00	168.40	42.10	126.30
FBEC-80	END CAP, 80X80MM SUPPORT BEAM, 10PCS/PK, GREY	XKI	PQ		1.00	10.20	2.55	7.65
FBFT-80D	FOOT, FOR 80X80 BEAM, 260MMX260MM C/W CONNECTING STRIP AND SCREW	H87	PZ		3.00	141.20	105.90	317.70
FBCS-20X96	CONNECTING STRIP FOR 80X80MM FOOT, 10PCS/PK	XKI	PQ	24101700	1.00	13.90	3.48	10.42
FGRR-15X20	GUIDE RAIL RECTANGULAR, 15X20MM, 3METER/LENGTH	H87	PZ		2.00	23.40	11.70	35.10
FGRC-100	RAIL CONNECTING, LENGTH 100MM, WITH SET SCREW, 10PCS/PK	XKI	PQ	24101700	1.00	54.70	13.68	41.02
FGEC-30D	30 DEGREE END CAP FOR FGRR- 15X20, 10PCS/PK	XKI	PQ		1.00	9.60	2.40	7.20
FGRB-40X18	GUIDE RAIL BRACKET, 10PCS/PK	XKI	PQ		2.00	85.20	42.60	127.80
FGRK-18X80A	GUIDE RAIL SUPPORT, L = 80MM, 10PCS/PK	XKI	PQ	24101700	2.00	22.80	11.40	34.20
FGRD-6B	SPACER FOR FGRB-40X## GUIDE RAIL BRACKET, 10PCS/PK	XKI	PQ		3.00	11.50	8.63	25.87
FGRR-15X20HB- 90R700	BEND ALUMINIUM GUIDE RAIL FOR HORIZONTAL BEND (INNER & OUTER) FLEXMOVE CONVEYOR GUIDES, FGR, 90R700MM	H87	PZ	24101700	2.00	125.00	62.50	187.50



DORNER LATIN AMERICA S. DE R.L. DE
Carretera a Nogales #5297
Nave 11 Zapopan JAL 45222
MEXICO

RFC: DLA1607089M7
WebSite: www.dorner.com

Folio Fiscal:

6285AE9A-CECE-428D-8BCF-4BC708AA1636

Certificate Serial Number:

00001000000407854755

SAT Serial Number:

00001000000505211329

Place and Date:

Zapopan JAL 30-09-2021 T00:05:58

Correo lateam@dorner.com

Tax Regime: 601

Método de pago:

PPD - Pago en parcialidades o
diferido

Form of Payment:

99 - Por definir

CFDI use:

P01 - Por definir

Factura: F-00003243

Página: 4

Fecha: 9/29/2021

FVPC-5R	STANDARD PLAIN CHAIN WITH ROLLER, 5METER/ROLLFLEXMOVE CONVEYOR MODEL FV (260MM)	H87	PZ	24101700	2.00	755.90	377.95	1,133.85
FVTB-A260	END TRANSFER BRIDGE C/W ROLLER FOR FVIE-A260FOR FVDD- A260-0L / 0LFOR FVDD-A260GP-0L / 0RFLEXMOVE CONVEYOR MODEL FV (260MM)	H87	PZ	24101700	2.00	658.30	329.15	987.45
32M010ES423EN	GEARMOTOR,VAR,90°, .75HP,230/460 V,3 PH VFD,10:1 RATIO,173 RPM .75 HP MOTOR DE-RATED TO .50 HP FOR FULL TORQUE THROUGH SPEED RANGE	H87	PZ	24101700	1.00	798.00	199.50	598.50
FVCB-3	CONVEYOR BEAM, 3 METER/LENGTH FLEXMOVE CONVEYOR MODEL FV (260MM)	H87	PZ	24101700	1.00	435.80	108.95	326.85
FVIE-A260	IDLER END UNIT FLEXMOVE CONVEYOR MODEL FV (260MM)	H87	PZ	24101700	1.00	567.70	141.93	425.77
FVHB-90R700	HORIZONTAL PLAIN BEND, 90R700mm FLEXMOVE CONVEYOR MODEL FV (260MM)	H87	PZ	24101700	1.00	918.50	229.63	688.87
FVHB-90R700	HORIZONTAL PLAIN BEND, 90R700mm FLEXMOVE CONVEYOR MODEL FV (260MM)	H87	PZ	24101700	1.00	918.50	229.63	688.87
FVDD-A260-EL	TAIL ASSY,FV(260mm) CANTENARY DRIVE,LH 3/4 IN MOTOR SHAFT,FLEXMOVE	H87	PZ	24101700	1.00	883.70	220.93	662.77



DORNER LATIN AMERICA S. DE R.L. DE
Carretera a Nogales #5297
Nave 11 Zapopan JAL 45222
MEXICO

RFC: DLA1607089M7
WebSite: www.dorner.com

Folio Fiscal:

6285AE9A-CECE-428D-8BCF-4BC708AA1636

Certificate Serial Number:

00001000000407854755

SAT Serial Number:

00001000000505211329

Place and Date:

Zapopan JAL 30-09-2021 T00:05:58

Correo lateam@dorner.com

Tax Regime: 601

Método de pago:

PPD - Pago en parcialidades o
diferido

Form of Payment:

99 - Por definir

CFDI use:

P01 - Por definir

Factura: F-00003243

Página: 5

Fecha: 9/29/2021

Amount in words

CATORCE MIL QUINIENTOS OCHENTA Y DOS
DOLARES 27/100

Subtotal linea(s): 14,582.27

Cargos misceláneos: 0.00

Impuestos totales: 0.00

Menos depósitos: 0.00

Total 14,582.27 USD

Sello digital:

I0XxKuAsSWpJZmpfRf/H6QqfUEIve0S9nzcrHoco5cjfF3lQ/UkezKPyOdsHoGlzdJDjYVmwVevVYgPIOpO4JsYYaJDSHFxn7vJDJOA7niwBMPGD
bkznQ2Y+cg3KGMh3xdzV60C7mh4RUshNoLQZvdLxqEBRLy+fx1uMbZMBxKbFU3H9VlcOWpUxDEVIA0t8TwQcEmzkLhnww2jjWh
+jAUpgUYMN9GShCaLzDyl85i8++Hgvdz1HPCDa7fKwxTbQ9BegSjJtRlxCUeqSTYQikR3pLfvRBmxY5/iMjaHdJH+pZ
+s8Dgzgs5Gt4ITFCTdiiqeaYWeKS/xRr3qJJuRew==

SAT Seal:

xz6ZBV1awzz/nFMhBoXI8caVSjhRCQG1EcIPImnkeF
+rRqH3LAXO5wxA3yV8ZKwPvEidnsu2cNxBpdPrMoOQj1XlqlgaZHcyseqk20XCcwqwnJTrayvq9E4XmyExVQV6rUXa3F3FckEI4KGHPlyb5+S0
PCyeDiU4fhkfXa5mTwNVWqVLN0MlfxxrSxZug
+iE2gRXz3+OUhqjV8JNdynkx3VaX8QMLer2HkW4E6fliClwT5G2hJ8xVaGF6hg8oKnDjFwXewCy6fNPIDxHfadVLCdwTGfVKeCDJg/9Zt4J2IWqKjH
rZO72UU9IVHCM3ttbkogKAAACTfPSQ4B2CxHA==

Original string:





DORNER LATIN AMERICA S. DE R.L. DE
Carretera a Nogales #5297
Nave 11 Zapopan JAL 45222
MEXICO

RFC: DLA1607089M7
WebSite: www.dorner.com

Folio Fiscal:

6285AE9A-CECE-428D-8BCF-4BC708AA1636

Certificate Serial Number:

00001000000407854755

SAT Serial Number:

00001000000505211329

Place and Date:

Zapopan JAL 30-09-2021 T00:05:58

Correo lateam@dorner.com

Tax Regime: 601

Método de pago:

PPD - Pago en parcialidades o
diferido

Form of Payment:

99 - Por definir

CFDI use:

P01 - Por definir

Factura: F-00003243

Página: 6

Fecha: 9/29/2021

[[3.3]F|00003243|2021-09-29T19:05:26|99|00001000000407854755|30 DIAS DE CREDITO|19152.11|4569.84|USD|
20.1118|14582.27|PPD|45222|DLA1607089M7|DORNER LATIN AMERICA S. DE R.L. DE C.V.|601|
XEXX010101000|Piensa Applied Technologies S.A.|CHL|760652067|P01|24101700|1-22EDM10-114820A1313A5|
1.0|H87|PZ|CONV, 2200 BELT, 10in x 11ft 5 24/32in (254.0mm x 3499.1mm) END DR POS A, STD IDLER TAIL 13
PROF A & D SIDE-FULLY ADJ .8in (20.3mm) ACCUMULATOR #05 BELT, PLASTIC CLIPPER V-GUIDE TRACK AN
MTG BRKTS|3769|3769.00|942.25|2826.75|002|Tasa|0.000000|0.00|24101700|2-22MBES10A-4828|1.0|H87|PZ|
MTG PKG,BTTM,STD LOAD-90° 2200,FLAT,POS A 48DR-28DRVN|330|330.00|82.50|247.50|002|Tasa|0.000000|
0.00|24101700|3-62M005ES423EN|1.0|H87|PZ|GEARMOTOR,COMPACT VFD,90°,38HP,230/460V,3PH,5:1,345
RPM ,1.9/0.95 AMP|593|593.00|148.25|444.75|002|Tasa|0.000000|0.00|24101700|4-39MFH12-1721F|3.0|H87|PZ|
STAND ASM, FIXED HEIGHT, 12.00in (304.8mm) WIDE 17.00in (431.8mm) TO 21.00in (533.4mm) HEIGHT WITH
FEET|207|621.00|155.25|465.75|002|Tasa|0.000000|0.00|24101700|5-39MB-TS|3.0|H87|PZ|BRACE KIT,SHORT,H-
STYLE STAND FOR T-SLOTTED FRAMES ONLY (2200, 3200, 5200 SERIES)|83|249.00|62.25|186.75|002|Tasa|
0.000000|0.00|24101700|6-721M120239D01A1|1.0|H87|PZ|CONV,72, 12"X 2'-4.68" PROFILE 01,BELT 01 FDA
ACCUM|2747|2747.00|549.40|2197.60|002|Tasa|0.000000|0.00|24101700|7-72MBPY12D-4822|1.0|H87|PZ|MTG
PKG,BTTM,STD LOAD-PAR 12" 7200,FLAT,POSD,48DR-22DRVN|540|540.00|108.00|432.00|002|Tasa|0.000000|
0.00|24101700|8-62M009PY423EN|1.0|H87|PZ|GEARMOTOR SAN,PAR,0.12HP 230 V VFD,3PH, 9:1,167
RPM,0.50 AMP|654|654.00|130.80|523.20|002|Tasa|0.000000|0.00|24101700|9-39MFH12-2024F|2.0|H87|PZ|STAND
ASSY,FIXED HEIGHT,12" WD 20" TO 24" HEIGHT WITH FEET|212|424.00|84.80|339.20|002|Tasa|0.000000|0.00|
24101700|10-FASR-25U|2.0|H87|RL|UHMW-PE SLIDE RAIL, WHITE COLOUR|81.1|162.20|40.55|121.65|002|Tasa|
0.000000|0.00|24101700|11-807-2694|2.0|XKI|PQ|SCREW, SOCKET,NYLON #10-32X1.00 SMARTFLEX, 50
PIEZAS/PAQ|12.7|25.40|6.35|19.05|002|Tasa|0.000000|0.00|24101700|12-FATB-35|1.0|XKI|PQ|T-BOLT L=35MM,
STEEL WITH ZINC PLATED, 50 PCS/PK|26.5|26.50|6.63|19.87|002|Tasa|0.000000|0.00|24101700|13-FALN-M8|1.0|
XKI|PQ|M8 LOCK NUT, 50PCS/PK|7.3|7.30|1.83|5.47|002|Tasa|0.000000|0.00|24101700|14-FAFW-M8|1.0|XKI|PQ|
M8 FLAT WASHER, 50PCS/PK|2.1|2.10|0.53|1.57|002|Tasa|0.000000|0.00|24101700|15-FAHB-M8X16|1.0|XKI|PQ|
M8 X HEXAGON HEAD BOLT L=16MM|5.4|5.40|1.35|4.05|002|Tasa|0.000000|0.00|24101700|16-FAVBS-80V|4.0|
H87|PZ|BRACKET ASSY,VERT BEAM, 260mm(FV)|40.9|163.60|40.90|122.70|002|Tasa|0.000000|0.00|24101700|17-
FADBS-80VV|1.0|H87|PZ|BRACKET ASSY,VERT BEAM, 260mm(FV)|212.2|212.20|53.05|159.15|002|Tasa|
0.000000|0.00|24101700|18-FATB-20|1.0|XKI|PQ|T-BOLT L=20MM, STEEL WITH ZINC PLATED, 50 PCS/PK|21.9|
21.90|5.48|16.42|002|Tasa|0.000000|0.00|24101700|19-FASN-M8|1.0|XKI|PQ|M8 SQUARE NUT, 20X20MM,
50PCS/PK|20.2|20.20|5.05|15.15|002|Tasa|0.000000|0.00|24101700|20-851-903|1.0|H87|PZ|IMPM,FLEXMOVE FV-
260|0.01|0.01|0.01|24101700|21-FBSB-80X80|1.0|H87|PZ|SUPPORT BEAM, 80X80MM, 3METER/LENGTH|168.4|
168.40|42.10|126.30|002|Tasa|0.000000|0.00|24101700|22-FBEC-80|1.0|XKI|PQ|END CAP, 80X80MM SUPPORT
BEAM, 10PCS/PK, GREY|10.2|10.20|2.55|7.65|002|Tasa|0.000000|0.00|24101700|23-FBFT-80D|3.0|H87|PZ|FOOT,
FOR 80X80 BEAM, 260MMX260MM C/W CONNECTING STRIP AND SCREW|141.2|423.60|105.90|317.70|002|
Tasa|0.000000|0.00|24101700|24-FBCS-20X96|1.0|XKI|PQ|CONNECTING STRIP FOR 80X80MM FOOT,
10PCS/PK|13.9|13.90|3.48|10.42|002|Tasa|0.000000|0.00|24101700|25-FGRR-15X20|2.0|H87|PZ|GUIDE RAIL
RECTANGULAR, 15X20MM, 3METER/LENGTH|23.4|46.80|11.70|35.10|002|Tasa|0.000000|0.00|24101700|26-
FGRC-100|1.0|XKI|PQ|RAIL CONNECTING, LENGTH 100MM, WITH SET SCREW, 10PCS/PK|54.7|54.70|13.68|
41.02|002|Tasa|0.000000|0.00|24101700|27-FGEC-30D|1.0|XKI|PQ|30 DEGREE END CAP FOR FGRR-15X20,
10PCS/PK|9.6|9.60|2.40|7.20|002|Tasa|0.000000|0.00|24101700|28-FGRB-40X18|2.0|XKI|PQ|GUIDE RAIL
BRACKET, 10PCS/PK|85.2|170.40|42.60|127.80|002|Tasa|0.000000|0.00|24101700|29-FGRK-18X80A|2.0|XKI|PQ|
GUIDE RAIL SUPPORT, L = 80MM, 10PCS/PK|22.8|45.60|11.40|34.20|002|Tasa|0.000000|0.00|24101700|30-FGRD-
6B|3.0|XKI|PQ|SPACER FOR FGRB-40X## GUIDE RAIL BRACKET, 10PCS/PK|11.5|34.50|8.63|25.87|002|Tasa|
0.000000|0.00|24101700|31-FGRR-15X20HB-90R700|2.0|H87|PZ|BEND ALUMINIUM GUIDE RAIL FOR
HORIZONTAL BEND (INNER & OUTER) FLEXMOVE CONVEYOR GUIDES, FGR, 90R700MM|125|250.00|62.50|
187.50|002|Tasa|0.000000|0.00|24101700|32-FVPC-5R|2.0|H87|PZ|STANDARD PLAIN CHAIN WITH ROLLER,
5METER/ROLL FLEXMOVE CONVEYOR MODEL FV (260MM)|755.9|1511.80|377.95|1133.85|002|Tasa|0.000000|
0.00|24101700|33-FVTB-A260|2.0|H87|PZ|END TRANSFER BRIDGE C/W ROLLER FOR FVIE-A260 FOR FVDD-
A260-0L / 0L FOR FVDD-A260GP-0L / 0R FLEXMOVE CONVEYOR MODEL FV (260MM)|658.3|1316.60|329.15|
987.45|002|Tasa|0.000000|0.00|24101700|34-32M010ES423EN|1.0|H87|PZ|
GEARMOTOR,VAR,90°,75HP,230/460V,3 PH VFD,10:1 RATIO,173 RPM .75 HP MOTOR DE-RATED TO .50 HP
FOR FULL TORQUE THROUGH SPEED RANGE|798|798.00|199.50|598.50|002|Tasa|0.000000|0.00|24101700|35-
FVCB-3|1.0|H87|PZ|CONVEYOR BEAM, 3 METER/LENGTH FLEXMOVE CONVEYOR MODEL FV (260MM)|435.8|
435.80|108.95|326.85|002|Tasa|0.000000|0.00|24101700|36-FVIE-A260|1.0|H87|PZ|IDLER END UNIT FLEXMOVE
CONVEYOR MODEL FV (260MM)|567.7|567.70|141.93|425.77|002|Tasa|0.000000|0.00|24101700|37-FVHB-
90R700|1.0|H87|PZ|HORIZONTAL PLAIN BEND, 90R700mm FLEXMOVE CONVEYOR MODEL FV (260MM)|918.5|
918.50|229.63|688.87|002|Tasa|0.000000|0.00|24101700|38-FVHB-90R700|1.0|H87|PZ|HORIZONTAL PLAIN BEND,
90R700mm FLEXMOVE CONVEYOR MODEL FV (260MM)|918.5|918.50|229.63|688.87|002|Tasa|0.000000|0.00|
24101700|39-FVDD-A260-EL|1.0|H87|PZ|TAIL ASSY,FV(260mm) CANTENARY DRIVE,LH 3/4 IN MOTOR
SHAFT,FLEXMOVE|883.7|883.70|220.93|662.77|002|Tasa|0.000000|0.00|002|Tasa|0.000000|0.00|0.00|]

SAT Certificate Number: 00001000000505211329



DORNER LATIN AMERICA S. DE R.L. DE
Carretera a Nogales #5297
Nave 11 Zapopan JAL 45222
MEXICO

RFC: DLA1607089M7
WebSite: www.dorner.com

Folio Fiscal:

6285AE9A-CECE-428D-8BCF-4BC708AA1636

Certificate Serial Number:

00001000000407854755

SAT Serial Number:

00001000000505211329

Place and Date:

Zapopan JAL 30-09-2021T00:05:58

Correo lateam@dorner.com

Tax Regime: 601

Método de pago:

PPD - Pago en parcialidades o
diferido

Form of Payment:

99 - Por definir

CFDI use:

P01 - Por definir

Factura: F-00003243

Página: 7

Fecha: 9/29/2021

Date and Time of Certification: 2021-09-29T19:05:28

This document is a printed representation of a CFDI