



DORNER LATIN AMERICA S. DE R.L. DE
Carretera a Nogales #5297
Nave 11 Zapopan JAL 45222
MEXICO

RFC: DLA1607089M7
WebSite: www.dorner.com

Folio Fiscal:

5CDE534A-6DFD-4263-94F1-43BFC7675B44

Certificate Serial Number:

00001000000407854755

No. Serie CDS SAT:

00001000000404598147

Place and Date:

Zapopan JAL 23-06-2020T17:05:17

Correo lateam@dorner.com

Régimen Fiscal: 601

Método de Pago:

PPD - Pago en parcialidades o
diferido

Forma de Pago:

99 - Por definir

Uso de CFDI:

P01 - Por definir

Factura: F-00001889

Página: 1

Fecha: 6/19/2020

Cliente: RFC XEXX010101000

Piensa Applied Technologies S.A.
Av. Américo Vespucio 1385
Módulo 33
Quilicura SANTIGO 8730596
CHILE

Dom. embq.:

Piensa Applied Technologies S.A.
Av. Américo Vespucio 1385
Módulo 33
Quilicura SANTIGO 8730596
CHILE

Comprador: Verónica Lopetegui

Francisco Calderon

Correo veronica.lopetegui@patindustrial.com

O. Compra: 2005-0401

Términos: 30 DIAS DE CREDITO

O. Venta 1284

Nota: Si el Pago es en Moneda Nacional, el Importe de esta Factura debera ser liquidado al Tipo de Cambio Oficial de la Federacion en la fecha del Pago.

DOLARES

Nro. parte	Nro./descripción de parte	Clave Uni	Uni Med.	Clave SAT	Canti dad	Precio unitario	Desc.:	Import \$
75125194	SPECIAL CONV,32V2 PREC MOVE,HIGH FRICTION BELT 4" X 14'-3.24"H-PITCH BELT FLATA-PROFILE:01,D-PROFILE:01,STD W/ AUX DRIVE,STD 3" IDLER, DR TAIL SHAFT IN A POSITION, REF#32PMM04-142714SA0101N-9 EXCEPT WITH A HIGH FRICTION BELT.	H87	PZ	24101700	1.00	5,795.00	1,448.75	4,346.25
32USES A	MTG PKG,SIDE,STD LOAD-90° 3200,POSITION A	H87	PZ	24101700	1.00	369.00	92.25	276.75
32Z020ES423EN	GEARMOTOR,VAR,90°,37KW,230V,3 PH VFD,20:1 RATIO,70 RPMWHEN BUYING GEARMOTOR WITHOUTSTARTER CUSTOMER MUST SUPPLY ON/OFF SWITCH AND OVERLOADTO COMPLY WITH CE DIRECTIVES	H87	PZ	24101700	1.00	945.00	236.25	708.75
75125195	SPECIAL CONV,32V2 PREC MOVE,HIGH FRICTION BELT 4" X 14'-3.24"H-PITCH BELT FLATA-PROFILE:01,D-PROFILE:01,STD W/ AUX DRIVE,STD 3" IDLER,DR TAIL SHAFT IN D POSITION.REF#32PMM04-142714SD0101N-9 EXCEPT WITH A IGH FRICTION BELT.	H87	PZ	24101700	1.00	5,795.00	1,448.75	4,346.25
32USED S	MTG PKG,SIDE,STD LOAD-90° 3200,POSITION D	H87	PZ	24101700	1.00	369.00	92.25	276.75



DORNER LATIN AMERICA S. DE R.L. DE
Carretera a Nogales #5297
Nave 11 Zapopan JAL 45222
MEXICO

RFC: DLA1607089M7
WebSite: www.dorner.com

Folio Fiscal:

5CDE534A-6DFD-4263-94F1-43BFC7675B44

Certificate Serial Number:

00001000000407854755

No. Serie CDS SAT:

00001000000404598147

Place and Date:

Zapopan JAL 23-06-2020T17:05:17

Correo lateam@dorner.com

Régimen Fiscal: 601

Método de Pago:

PPD - Pago en parcialidades o
diferido

Forma de Pago:

99 - Por definir

Uso de CFDI:

P01 - Por definir

Factura: F-00001889

Página: 2

Fecha: 6/19/2020

32Z020ES423EN	GEARMOTOR,VAR,90^,.37KW,230V,3 PH VFD,20:1 RATIO,70 RPMWHEN BUYING GEARMOTOR WITHOUTSTARTER CUSTOMER MUST SUPPLY ON/OFF SWITCH AND OVERLOADTO COMPLY WITH CE DIRECTIVES	H87	PZ	24101700	1.00	945.00	236.25	708.75
FAAL-80	ALPINE BEAM SUPPORT BRACKET	H87	PZ	24101700	6.00	11.90	17.85	53.55
H4PM-623353	Plate 29 x 50 x 135	H87	PZ	24101700	6.00	58.00	87.00	261.00
H4PM-1660	Column pedestal Ø30 - 1 axis horizontal	H87	PZ	24101700	3.00	780.00	585.00	1,755.00
H4PM-623395	Disc hand wheel D80	H87	PZ	24101700	1.00	90.00	22.50	67.50
H4PM-623382	Digital display horizontal it includes Bold 20x101.5	H87	PZ	24101700	1.00	255.00	63.75	191.25
H4UW-70027330	Angular gear	H87	PZ	24101700	3.00	585.00	438.75	1,316.25
COST-MCLX-10-10-A	Cople RULAND de Aluminio	H87	PZ	24101700	4.00	82.00	82.00	246.00
980-012	ENCODER,HOLLOW BORE,20MM,IP54,2000 PPR,6FT CABLE	H87	PZ	24101700	2.00	1,200.00	600.00	1,800.00
980-010	Guia lateral 3200 PM en acero inoxidable T-304 Cal. 16 con bracket de montaje en aluminio anodizado natural	H87	PZ	24101700	2.00	638.50	319.25	957.75



DORNER LATIN AMERICA S. DE R.L. DE
Carretera a Nogales #5297
Nave 11 Zapopan JAL 45222
MEXICO

RFC: DLA1607089M7
WebSite: www.dorner.com

Folio Fiscal:

5CDE534A-6DFD-4263-94F1-43BFC7675B44

Certificate Serial Number:

00001000000407854755

No. Serie CDS SAT:

00001000000404598147

Place and Date:

Zapopan JAL 23-06-2020T17:05:17

Correo lateam@dorner.com

Régimen Fiscal: 601

Método de Pago:

PPD - Pago en parcialidades o
diferido

Forma de Pago:

99 - Por definir

Uso de CFDI:

P01 - Por definir

Factura: F-00001889

Página: 3

Fecha: 6/19/2020

Amount in words

DIEZ Y SIETE MIL TRESCIENTOS ONCE DOLARES
80/100

Subtotal linea(s): 17,311.80

Cargos misceláneos: 0.00

Impuestos totales: 0.00

Menos depósitos 0.00

Total 17,311.80 USD



DORNER LATIN AMERICA S. DE R.L. DE
Carretera a Nogales #5297
Nave 11 Zapopan JAL 45222
MEXICO

RFC: DLA1607089M7
WebSite: www.dorner.com

Folio Fiscal:

5CDE534A-6DFD-4263-94F1-43BFC7675B44

Certificate Serial Number:

00001000000407854755

No. Serie CDS SAT:

00001000000404598147

Place and Date:

Zapopan JAL 23-06-2020T17:05:17

Correo lateam@dorner.com

Régimen Fiscal: 601

Método de Pago:

PPD - Pago en parcialidades o
diferido

Forma de Pago:

99 - Por definir

Uso de CFDI:

P01 - Por definir

Factura: F-00001889

Página: 4

Fecha: 6/19/2020

Sello digital:

W+ChhpMhmBYCkE0x2etpXXDI3iSV0jhl7i
+hJT2Ew0PirIkdrNBDXjcU8ecUhNu9CO3m3v2PIzaoshpIG8/vNfGGS6+GZavI0D8M/dePHT2LwfX6VGn5oLcxw7u79xcpSwx3uPOLN2eXb5mUP
Q5hmJt+sY2+VMY5oTA6xj8VZ8/v6uyEG+s3IPBFa9vhDKKac6JKV
+Zlb/PnRicC7M71jZA2kvDPSr0coz4Ci6QX8NnhDQuM0YRjPuKnZldwVv4Xxli9CeKmBReFCS0D1uuQ7LxcrSWp6lh7GBzF/sbfQ8ccn5e
+vsK/FTxip8reHfR1+KynnuU2d5d5Xa6Tderw==

SAT Seal:

xJyB9p9kDcWnX6XReClpChITXapvHObBUrr0S2hzi5STPDJ59/RdxpOdazpY14Zk1lf2c/sLELUInoDn8+QCJ0X9EK8pNHBIF8mNLroA3JfoRT9y6i
C7LQtcyLCfKKGWCxXfytCMf01x3XrP6Gfi+0aa3lpQIGQCCqKzZFaUxUbDQvK3i3b8zHayUy2QtqvlqNq
+/X6rJhwQGSqcMZDyzDyOHwQo9h/4ystYeFpLvvcUiYSfzN6BKX6eEs71oGzUWwPBy81NyrXmFx63D4E/ODibu
+USArFpGfm0EajEq9JDQlCOn6d4wwifyfVZ8cyfzAtXFrwgIAYJ3ksy3fw==



Original string:

[[3.3|F|00001889|2020-06-23T12:03:46|99|00001000000407854755|30 DIAS DE CREDITO|23082.40|5770.60|USD|
22.5435|17311.80|PPD|45222|DLA1607089M7|DORNER LATIN AMERICA S. DE R.L. DE C.V.|601|
XEXX010101000|Piensa Applied Technologies S.A.|CHL|760652067|P01|24101700|1-75125194|1.0|H87|PZ|
SPECIAL CONV,32V2 PREC MOVE,HIGH FRICTION BELT 4" X 14'-3.24" H-PITCH BELT FLAT A-PROFILE:01,D-
PROFILE:01,STD W/ AUX DRIVE, STD 3" IDLER, DR TAIL SHAFT IN A POSITION, REF#32PMM04-
142714SA0101N-9 EXCEPT WITH A HIGH FRICTION BELT.|5795|5795.00|1448.75|4346.25|002|Tasa|0.000000|
0.00|24101700|2-32USESA|1.0|H87|PZ|MTG PKG,SIDE,STD LOAD-90° 3200,POSITION A|369|369.00|92.25|
276.75|002|Tasa|0.000000|0.00|24101700|3-32Z020ES423EN|1.0|H87|PZ|GEARMOTOR,VAR,90°,37KW,230V,3
PH VFD,20:1 RATIO,70 RPM WHEN BUYING GEARMOTOR WITHOUT STARTER CUSTOMER MUST SUPPLY
ON/OFF SWITCH AND OVERLOAD TO COMPLY WITH CE DIRECTIVES|945|945.00|236.25|708.75|002|Tasa|
0.000000|0.00|24101700|4-75125195|1.0|H87|PZ|SPECIAL CONV,32V2 PREC MOVE,HIGH FRICTION BELT 4" X
14'-3.24" H-PITCH BELT FLAT A-PROFILE:01,D-PROFILE:01,STD W/ AUX DRIVE, STD 3" IDLER,DR TAIL SHAFT
IN D POSITION. REF#32PMM04-142714SD0101N-9 EXCEPT WITH A IGH FRICTION BELT.|5795|5795.00|1448.75|
4346.25|002|Tasa|0.000000|0.00|24101700|5-32USESD|1.0|H87|PZ|MTG PKG,SIDE,STD LOAD-90°
3200,POSITION D|369|369.00|92.25|276.75|002|Tasa|0.000000|0.00|24101700|6-32Z020ES423EN|1.0|H87|PZ|
GEARMOTOR,VAR,90°,37KW,230V,3 PH VFD,20:1 RATIO,70 RPM WHEN BUYING GEARMOTOR WITHOUT
STARTER CUSTOMER MUST SUPPLY ON/OFF SWITCH AND OVERLOAD TO COMPLY WITH CE DIRECTIVES|
945|945.00|236.25|708.75|002|Tasa|0.000000|0.00|24101700|7-FAAL-80|6.0|H87|PZ|ALPINE BEAM SUPPORT
BRACKET|11.9|71.40|17.85|53.55|002|Tasa|0.000000|0.00|24101700|8-H4PM-623353|6.0|H87|PZ|Plate 29 x 50 x
135|58|348.00|87.00|261.00|002|Tasa|0.000000|0.00|24101700|9-H4PM-1660|3.0|H87|PZ|Column pedestal Ø30 - 1
axis horizontal|780|2340.00|585.00|1755.00|002|Tasa|0.000000|0.00|24101700|10-H4PM-623395|1.0|H87|PZ|Disc
hand wheel D80|90|90.00|22.50|67.50|002|Tasa|0.000000|0.00|24101700|11-H4PM-623382|1.0|H87|PZ|Digital
display horizontal it includes Bold 20x101.5|255|255.00|63.75|191.25|002|Tasa|0.000000|0.00|24101700|12-H4UW-
70027330|3.0|H87|PZ|Angular gear|585|1755.00|438.75|1316.25|002|Tasa|0.000000|0.00|24101700|13-COST-
MCLX-10-10-A|4.0|H87|PZ|Cople RULAND de Aluminio|82|328.00|82.00|246.00|002|Tasa|0.000000|0.00|24101700|
14-980-012|2.0|H87|PZ|ENCODER,HOLLOW BORE,20MM,IP54,2000 PPR,6FT CABLE|1200|2400.00|600.00|
1800.00|002|Tasa|0.000000|0.00|24101700|15-980-010|2.0|H87|PZ|Guia lateral 3200 PM en acero inoxidable T-304
Cal. 16 con bracket de montaje en aluminio anodizado natural|638.5|1277.00|319.25|957.75|002|Tasa|0.000000|0.00|
002|Tasa|0.000000|0.00|0.00|1.1|2|A|1|0|FCA|0|22.54350|23082.40|Carretera a Nogales #5297|Nave 11|120|JAL|
MEX|45222|Av. Américo Vespucio 1385|Módulo 33|SANTIGO|CHL|8730596|1-75125194|84283399|1.00|06|5795.00|
5795.00|2-32USESA|84313999|0.90|01|410.00|369.00|3-32Z020ES423EN|85015102|1.00|06|945.00|945.00|4-
75125195|84283399|1.00|06|5795.00|5795.00|5-32USESD|84313999|0.90|01|410.00|369.00|6-32Z020ES423EN|
85015102|1.00|06|945.00|945.00|7-FAAL-80|84313999|12.00|01|5.95|71.40|8-H4PM-623353|84313999|3.00|01|
116.00|348.00|9-H4PM-1660|84313999|6.00|01|390.00|2340.00|10-H4PM-623395|84313999|0.50|01|180.00|90.00|
11-H4PM-623382|84313999|0.50|01|510.00|255.00|12-H4UW-70027330|84313999|2.10|01|835.71|1755.00|13-
COST-MCLX-10-10-A|84313999|8.00|01|41.00|328.00|14-980-012|85432099|2.00|06|1200.00|2400.00|15-980-010|
84313999|6.00|01|212.83|1277.00|]

SAT Certificate Number: 00001000000404598147

Date and Time of Certification: 2020-06-23T12:03:48